POWERLINE®

STAINLESS STEEL LABORATORY FAUCETS

100% SUS304 WETTED PARTS

100% LEAD FREE







HIGH QUALITY, HIGH VALUE EQUIPMENT SINCE 1993


POWERLINE EQUIPMENT COMPANY
Pulaski Street, Norwalk, CT 06851 USA
www.powerlineequip.com

STAINLESS STEEL LABORATORY FAUCETS



100% SUS304 WETTED PARTS

100% LEAD FREE



LABG16L-A / LABG16R -A

Single-spout Laboratory Faucet Rigid Outlet with Aerator (Left/Right Side Available)

LABSG16L-A / LABSG16R -A

Single-spout Laboratory Faucet Swivel Outlet with Aerator (Left/Right Side Available)


1. **Nozzle Outlet Type:** Neoperl Aerator (Optional Serrated Tip)
2. **Neoperl Aerator Water Flow:** Available in 1.58 GPM (6 LPM)
3. **Spout Options:** Available in Rigid or Swing Spout Options
4. **Handle:** Available in Left or Right Options
5. **Hole Size:** Φ21-23 mm

***Standard unit 100% 304 s/s with optional 316 s/s available upon request.**



100% SUS304 WETTED PARTS

100% LEAD FREE



LABG08L-A / LABG08R -A

Dual-spout Laboratory Faucet Rigid Outlet with Aerator (Left/Right Side Available)

LABSG08L-A / LABSG08R -A

Dual-spout Laboratory Faucet Swivel Outlet with Aerator (Left/Right Side Available)

1. **Nozzle Outlet Type:** Neoperl Aerator (Optional Serrated Tip)
2. **Neoperl Aerator Water Flow:** Available in 1.58 GPM (6 LPM)
3. **Spout Options:** Available in Rigid or Swing Spout Options
4. **Handle:** Available in Left or Right Options
5. **Hole Size:** Φ21-23 mm


***Standard unit 100% 304 s/s with optional 316 s/s available upon request.**

STAINLESS STEEL LABORATORY FAUCETS



100% SUS304 WETTED PARTS

100% LEAD FREE



LAB26-A

Single-spout Laboratory Faucet with Aerator


1. **Nozzle Outlet Type:** Neoperl Aerator (Optional Serrated Tip)
2. **Neoperl Aerator Water Flow:** Available in 1.58 GPM (6 LPM)
3. **Hole Size:** Φ21-23 mm

***Standard unit 100% 304 s/s with optional 316 s/s available upon request.**



100% SUS304 WETTED PARTS

100% LEAD FREE



LAB26-TN

Single-spout Laboratory Faucet with Serrated Tip

1. **Nozzle Outlet Type:** Serrated Tip (Optional Neoperl Aerator)
2. **Hole Size:** Φ21-23 mm


***Standard unit 100% 304 s/s with optional 316 s/s available upon request.**

STAINLESS STEEL LABORATORY FAUCETS



100% SUS304 WETTED PARTS

100% LEAD FREE



LABG16L-TN / LABG16R -TN

Single-spout Laboratory Faucet Rigid Outlet with Serrated Tip (Left/Right Side Available)

LABSG16L-TN / LABSG16R -TN

Single-spout Laboratory Faucet Swivel Outlet with Serrated Tip (Left/Right Side Available)


1. **Nozzle Outlet Type:** Serrated Tip (Optional Neoperl Aerator)
2. **Spout Options:** Available in Rigid or Swing Spout Options
3. **Handle:** Available in Left or Right Options
4. **Hole Size:** Φ21-23 mm

***Standard unit 100% 304 s/s with optional 316 s/s available upon request.**



100% SUS304 WETTED PARTS

100% LEAD FREE



LABG08L-TN / LABG08R -TN

Dual-spout Laboratory Faucet Rigid Outlet with Serrated Tip (Left/Right Side Available)

LABSG08L-TN / LABSG08R -TN


Dual-spout Laboratory Faucet Swivel Outlet with Serrated Tip (Left/Right Side Available)

1. **Nozzle Outlet Type:** Neoperl Aerator (Optional Serrated Tip)
2. **Spout Options:** Available in Rigid or Swing Spout Options
3. **Handle:** Available in Left or Right Options
4. **Hole Size:** Φ21-23 mm

***Standard unit 100% 304 s/s with optional 316 s/s available upon request.**

EYE WASH





EW-7360P

Eye Wash

Wall mounted eye/ face wash, stainless steel receptor

POWERLINE®







HIGH QUALITY, HIGH VALUE EQUIPMENT SINCE 1993

Visit Us:

Sales & Service Center

POWERLINE EQUIPMENT COMPANY

B-2-11, Jalan SS 25/22
Taman Mayang, 47301 Petaling Jaya
Selangor, Malaysia

Tel: +603-7880 5758

www.powerlineequip.com

Please scan QR code for standard faucet: